



## AirMAG-R /

	AirMAG-R 1.4	AirMAG-R1.6	AirMAG-R 1.9	AirMAG-R 2.2
	1.4 mm	1.6 mm	1.9 mm	2.2 mm
LED	SMD 1010	SMD 1010	SMD 1010	SMD 1515
	451584 /m <sup>2</sup> 112896 /	360000 /m <sup>2</sup> 90000 /	262144 /m <sup>2</sup> 65536 /	200704 /m <sup>2</sup> 50176 /
(W × H) (mm)	250 × 250	250 × 250	250 × 250	250 × 250
(W × H × D) (mm)	500 × 500 × 89.6	500 × 500 × 89.6	500 × 500 × 89.6	500 × 500 × 89.6
/ (W × H)	2 × 2	2 × 2	2 × 2	2 × 2
(W × H)	168 × 168	150 × 150	128 × 128	112 × 112
(W × H)	336 × 336	300 × 300	256 × 256	224 × 224
	9.5 kg/ *	9.45 kg/ *	9.32 kg/ *	8.53 kg/ *
	38 kg/m <sup>2</sup> *	37.8 kg/m <sup>2</sup> *	37.28 kg/m <sup>2</sup> *	34.12 kg/m <sup>2</sup> *
	14 - 16 bit	14 - 16 bit	14 - 16 bit	14 - 16 bit
	281 trillion	281 trillion	281 trillion	281 trillion
	4000 :1	4000 :1	4000 : 1	4000 : 1
	55 - 92 w/ *	55 - 92 w/ *	55 - 92 w/ *	41 - 69 w/ *
	184 w/ *	184 w/ *	184 w/ *	138 w/ *
	-10 - 40 / 10% - 80%	-10 - 40 / 10% - 80%	-10 - 40 / 10% - 80%	-10 - 40 / 10% - 80%
	-20 - 60 / 10% - 90%	-20 - 60 / 10% - 90%	-20 - 60 / 10% - 90%	-20 - 60 / 10% - 90%
	600 - 800 nits	600 - 800 nits	600 - 800 nits	800 - 1000 nits
	3840 Hz	3840 Hz	3840 Hz	3840 Hz
	160°	160°	160°	160°
	140°	140°	140°	140°
LED	100000 Hrs	100000 Hrs	100000 Hrs	100000 Hrs
	20 panels *	20 panels*	20 panels *	20 panels *
	16 panels *	16 panels*	16 panels *	16 panels *
(-: ;+: )	0°	0°	0°	0°
	*	*	*	*
IP	IP 30	IP 30	IP 30	IP 30
	CE, EMC, LVD, RoHS, CCC, FCC*	CE, EMC, LVD, RoHS, CCC, FCC*	CE, EMC, LVD, RoHS, CCC, FCC*	CE, EMC, LVD, RoHS, CCC, FCC*

## 应用领域

- >
- >
- >
- >
- >
- >

## AirMAG-R /

	2.9 mm
	SMD 2020
	112896 /m <sup>2</sup> 28224 /
	250 × 250
	500 × 500 × 86
	2 × 2
	84 × 84
	168 × 168
	7.63 kg/ *
	30.52 kg/m <sup>2</sup> *
	14 - 16 bit
	281 trillion
	4000 : 1
	41 - 69 w/ 138 w/
	-10 - 40 / 10% - 80%
	-20 - 60 / 10% - 90%
	1000 -1200 nits
	3840 Hz
	160°
	140°
	100000 H